

SFP -25G-SR optical module adopts the hot-swappable SFP28 package, with an operating wavelength of 850nm. It is a full-duplex transceiver module. It is designed for short-distance data ...

Our 25G SFP28 20km transceiver delivers extended-reach connectivity for metropolitan area networks. Supporting up to 20km transmission over single-mode fiber at 1310nm wavelength, this module ...

It is a high performance module for short-range data communication and interconnect applications which operate at 25.78125 Gbps up to 10km. This module is designed to operate over single mode fiber ...

Complete guide to selecting 25G SFP28 optical modules for 5G fronthaul networks. Compare SR, LR, ER, BiDi, and CWDM types covering transmission distance, wavelength, power ...

SFP-25G-LR is an optical module designed for long-distance data transmission, supporting a data transfer rate of 25Gbps. It uses single-mode fiber (SMF) and transmits signals at a ...

SFP28 transceiver that supports 25G connections up to 10 km using single-mode fiber with a duplex LC UPC connector.

The 25G-LR gray optical module uses only a single 1310 nm wavelength, which can support fast and simple site deployment by utilizing idle fiber resources in the existing network.

Asterfusion SFP28 25G SR optical transceiver module provides links up to 100m over multimode fiber (MMF) at a wavelength of 850nm. The SFP28 SR optical module using a duplex LC connector, ...

Asterfusion SFP28 25G SR optical transceiver module provides links up to 100m over multimode fiber (MMF) at a wavelength of 850nm. The SFP28 SR optical ...

Recently, the use of wavelength division multiplexing (WDM) in mobile front-haul networks has attracted attention because of the advantages of wider bandwidth and reduced use of optical fiber.

This module is designed to operate over singlemode fiber systems using a nominal wavelength of 1310nm. The electrical interface uses a 20 contact edge type connector. The optical interface uses ...

Web: <https://www.csc-energia.com.pl>